


PRODUCT-DETAILS

TKM/U.3.11-CG

TKM/U.3.11-CG Card holder programmable Standard customization



Ogólne informacje

| | |
|-----------------------|--|
| Extended Product Type | TKM/U.3.11-CG |
| ID Produktu | 2CKA006300A1624 |
| Numer EAN | 4011395256398 |
| Opis katalogowy | TKM/U.3.11-CG Card holder programmable Standard customization |
| Opis | <p>Ordering possible only in connection with the design ID. For inserting and evaluating of mifare RF cards. The icons and/or texts are configured by means of a web configuration tool. With integrated KNX bus coupler. Freely programmable function >Do not disturb<, >Bell< and >Make up room<. Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. The bus connection is provided via the enclosed bus terminal. Number of bus subscribers: 1 with separate 24 V auxiliary power supply</p> |

Charakterystyka zamówienia

| | |
|----------------------------|---------------|
| Numer EAN | 4011395256398 |
| Kod taryfy celnej | 85365080 |
| Minimalna ilość zamówienia | 1 sztuka |

Wymiary

| | |
|--------------------------|----------|
| Wysokość produktu netto | 0.086 m |
| Szerokość produktu netto | 0.115 m |
| Waga produktu netto | 0.001 kg |

Informacje o pakowaniu

| | |
|-----------------------------------|---------------|
| Jednostka opakowania (poziom 1) | 1 sztuka |
| EAN opakowania (poziom 1) | 4011395256398 |
| Długość opakowania (poziom 1) | 0.282 m |
| Wysokość opakowania (poziom 1) | 0.064 m |
| Szerokość opakowania (poziom 1) | 0.148 m |
| Waga opakowania brutto (poziom 1) | 290 g |

Dane techniczne

| | |
|-------------------------|---------------|
| Compatible Bus Systems | KNX |
| Stopień ochrony obudowy | IP20 |
| Rodzaj montażu | Flush Mounted |

Certyfikaty i deklaracje (Numer dokumentu)

| | |
|---------------------------|-----------------|
| Deklaracja zgodności - CE | 2CKA100000E3410 |
| Dane RoHS | 9AKK104295D8727 |

Normy środowiskowe

| | |
|-------------|---|
| Status RoHS | Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami |
|-------------|---|

Klasyfikacje

| | |
|---------------|--|
| ETIM 5 | EC000782 - Access control unit for bus system |
| ETIM 6 | EC000782 - Access control unit for bus system |
| ETIM 7 | EC000782 - Access control unit for bus system |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

Kategorie

Produkty niskiego napięcia i systemy → Home and Building Automation → KNX → User Operation - tacteo → Transponder Readers and Card Holders

