

PRODUCT-DETAILS

8188.5

8188.5 - Schuko socket outlet with fixing claws



General Information	
Extended Product Type	8188.5
Product ID	2CLA818850A1001
EAN	8427238016917
Catalog Description	8188.5 - Schuko socket outlet with fixing claws
Long Description	Rated voltage: 250 Vac Rated current: 16A Type F: 2P + E Shuttered for child safety Screw terminals Max. torsion 0.8Nm according to ISO 60884-1 Included: fixing claws Cover plate code: 8588, 8588.1, 8488, 8288, 8288.1 & 5588

Ordering	
EAN	8427238016917
Minimum Order Quantity	10 piece
Customs Tariff Number	85366990

Dimensions	
Product Net Width	0.149 m
Product Net Height	0.078 m
Product Net Depth / Length	0.225 m

Product Net Weight 0.069 kg

Container Information	
Package Level 1 Units	box 10 piece
Package Level 1 Width	0.149 m
Package Level 1 Height	0.078 m
Package Level 1 Depth / Length	0.225 m
Package Level 1 Gross Weight	0.71 kg
Package Level 1 EAN	8427238016917

Environmental	
Ambient Air	Operation -5 +35 °C
Temperature	Storage -5 +50 °C

Additional Information	
Connection Type	Screw
Degree of Protection	IP20
Frequency (f)	5060 Hz
Mounting Type	Flush mounted (plaster)
Number of Phases	2
Product Main Type	Inserts - Sky platform
Product Name	Schuko socket outlet with fixing claws
Rated Current (I _n)	16 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	2CL0818850

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	9AKK107046A0356
Declaration of Conformity - CE	9AKK1074920617

Classifications	
ETIM 5	EC002460 - Socket outlet/plug with protective contact (SCHUKO)
ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
UNSPSC	39121406
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

8188.5

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Arco \rightarrow Flush\ Mounted\ Inserts \rightarrow Single\ Socket\ Outlet$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Olas \rightarrow Flush\ Mounted\ Inserts \rightarrow Single\ Socket\ Outlet$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Sky \rightarrow Flush\ Mounted\ Inserts \rightarrow Single\ Socket\ Outlet$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Niessen \rightarrow Design\ Tacto \rightarrow Flush\ Mounted\ Inserts \rightarrow Single\ Socket\ Outlet$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Socket\ Outlets \rightarrow Single\ Socket\ Outlet \rightarrow Single\ Outlet \rightarrow Single\ Outlet \rightarrow Single\ Outlet \rightarrow Single\$

