


circular conduc. terminal TA7.4 6 x 300...600 kcmil for 6 cables; 1 unit accessory for: circuit breaker, 3-pole 3VA58/59; 3VA68/69



Model	
product brand name	SETRON
product designation	Circular conductor terminal 1 unit
accessories	Wire connector
General technical data	
designation / of the terminal	TA7.4
type of electrical connection / with control wire tap	No
Connections according IEC	
stripped length	45 mm
Connections according UL	
permissible temperature / of connectable conductor / according to UL 486A-486B	75 °C
stripped length	1.8 in
connectable conductor cross-section	
<ul style="list-style-type: none"> • for copper cable / stranded / minimum • for copper cable / stranded / maximum • for aluminum cable / stranded / minimum • for aluminum cable / stranded / maximum 	300 kcmil 600 kcmil 300 kcmil 600 kcmil
tightening torque / when using copper cables	
<ul style="list-style-type: none"> • stranded 	300-600 kcmil: 600 lb-in

Certificates	
General Product Approval	EMV Test Certificates



[Miscellaneous](#)



[Type Test Certificates/Test Report](#)

Marine / Shipping	other	Environment			
 LRS	Miscellaneous	Confirmation	Miscellaneous	Environmental Confirmations	Environmental Confirmations

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875 Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mifb=3VA9871-0JJ63>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9871-0JJ63>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mifb=3VA9871-0JJ63

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

7/5/2024 

