

SIMATIC HMI USB MEMORY STICK 8GB, FOR HMI DEVICES AND IPC WITH ADDITIONAL INFORMATION: SEE TECHNICAL DATA

General information	
Product type designation	SIMATIC HMI USB memory stick, 8 GB
Control elements	
Connection type	
<ul style="list-style-type: none"> • USB 	Yes; USB 2.0 type A
Frame size/design	
<ul style="list-style-type: none"> • Standard 	Yes
<ul style="list-style-type: none"> • Flat 	Yes
Installation type/mounting	
Mounting position	Any, dependent on target device
Mounting in portrait format possible	Yes
Mounting in landscape format possible	Yes
Supply voltage	
Type of supply voltage	DC
Rated value (DC)	5 V
Input current	
Current consumption (rated value)	100 mA; Typical
Memory	
Type of memory	SLC
Memory size	8 Gbyte
Speed class	Up to: read: 25 MB/s, write: 19 MB/s
File format	FAT32
Write protection switch	No
Type of output	
LED colors	
<ul style="list-style-type: none"> • red 	Yes; Shows read/write access
Interfaces	
Number of USB interfaces	1; USB 2.0 type A
Standards, approvals, certificates	
CE mark	Yes
UL approval	Yes
cULus	Yes

Ambient conditions	
Ambient temperature during operation	
• min.	0 °C
• max.	50 °C
Ambient temperature during storage/transportation	
• min.	-40 °C
• max.	70 °C
Relative humidity	
• Operation, max.	85 %
• Condensation permissible	No
Operating systems	
Runs under operating system	
• Windows CE	Yes
• Windows Vista	No
• Windows XP	No
• Windows 7	No
• Windows 8	No
• Windows 10	No
• Linux	No
Mechanics/material	
Enclosure material (front)	
• Aluminum	Yes
Dimensions	
Width	16.7 mm
Height	59.1 mm
Thickness	7 mm
Weights	
Weight without packaging	12 g
Weight incl. packaging	16 g
Scope of supply	
Delivery quantity in pieces	1
Other	
Merchandise	No
Target devices	For all HMI Panels with suitable USB interface
Note:	TP1500 Comfort Outdoor, TP700 Comfort Outdoor: Observe the temperature range
Usable in the following products	
• Product 1	6AV2124-*
• Product 2	6AV2125-*
• Product 3	6AV2123-*

- Product 4
- Product 5

last modified:

6AV6643-*

6AV6644-*

07/28/2017