


undervoltage release 208-230V AC 50/60Hz accessory for: 3VA4/5/6



| Model | |
|---------------------|-------------------|
| Product brand name | SETRON |
| Product designation | Accessories |
| Product version | Auxiliary release |
| Accessories | Auxiliary release |

| General technical data | |
|--------------------------------------|-------|
| Degree of pollution | 3 |
| Overvoltage category | III |
| Apparent power consumption / maximum | 2 V·A |

| Voltage | |
|--------------------------------|-------|
| Rated insulation voltage U_i | 690 V |
| Surge voltage resistance | 4 kV |

| Mechanical Design | |
|-------------------|---------|
| Height | 65.1 mm |
| Width | 25.7 mm |
| Number of slots | 3 |
| Depth | 28.8 mm |
| Net weight | 91 g |


| | |
|---|---------|
| Tightening torque / with screw-type terminals / minimum | 0.4 N·m |
| Tightening torque / with screw-type terminals / maximum | 0.5 N·m |

| Connections according IEC | |
|--------------------------------------|----------------|
| Type of auxiliary circuit connection | AWG18 / 750 mm |
| Wire stripping length | 10 mm |

| Connections according UL | |
|--|------------|
| Wire stripping length [in] | 0.4 in |
| Tightening torque [lbf·in] / with screw-type terminals / minimum | 3.5 lbf·in |
| Tightening torque [lbf·in] / with screw-type terminals / maximum | 4.4 lbf·in |



Certificates


| General Product Approval | EMC | Declaration of Conformity |
|--|---|---|
|  CSA  UL Miscellaneous |  EAC |  RCM  EG-Konf. |

| Shipping Approval | other |
|---|---|
|  LRS | Manufacturer Declaration Miscellaneous |

Further information

- Information- and Downloadcenter (Catalogs, Brochures,...)**
<http://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)**
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9978-0BB25>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**
<https://support.industry.siemens.com/cs/ww/en/ps/3VA9978-0BB25>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9978-0BB25
- CAX-Online-Generator**
<http://www.siemens.com/cax>
- Tender specifications**
<http://www.siemens.com/specifications>





last modified:

11/19/2019