



CONTACTOR, SIZE 8,
2-POLE DC-3 AND 5,RATD.OPER.CURR. 220A AUXILIARY
CONTACTS 22 (2NO+2NC) DC OPERATION DC 220V

General details:

Size of the contactor		8
Number of poles		2
Reference code / according to DIN 40719 extended according to IEC 204-2 / according to IEC 750		K
Reference code / according to DIN EN 61346-2		Q
Protection class IP		IP00
Ambient temperature • during operating	°C	-25 ... +55

Control circuit:

Type of voltage		DC
Control supply voltage • for DC / rated value / minimum • for DC / rated value / maximum	V	220
	V	220

Main circuit:

Number of NO contacts / for main contacts		2
Number of NC contacts / for main contacts		0
Operating current • at DC-3 / at DC-5 / at 440 V / rated value	A	220

- at DC-3 / at DC-5 / at 220 V / rated value
- at DC-3 / at DC-5 / at 600 V / rated value
- at DC-3 / at DC-5 / at 750 V / rated value

A	220
A	220
A	170

Service power

- at DC-3 / at DC-5 / at 110 V / rated value
- at DC-3 / at DC-5 / at 220 V / rated value
- at DC-3 / at DC-5 / at 440 V / rated value
- at DC-3 / at DC-5 / at 600 V / rated value
- at DC-3 / at DC-5 / at 750 V / rated value

kW	20
kW	41
kW	82
kW	110
kW	110

Auxiliary circuit:

Identification number and letter for switching elements

22

Number of NO contacts / for auxiliary contacts

2

Number of NC contacts / for auxiliary contacts

2

Number of changeover contacts / for auxiliary contacts

0

Connection type:

Design of the electrical connection / for main current circuit

screw-type terminals

Design of the electrical connection / for auxiliary and control current circuit

screw-type terminals

Mechanical design:

Mounting type

screw fixing

Mounting type / series installation

Yes

Width

mm 135

Height

mm 232.5

Depth

mm 236

Certificates/approvals:

General Product Approval



CCC



CSA



UL

Test Certificates

[Special Test Certificate](#)

[Type Test Certificates/Test Report](#)

Shipping Approval

other



RMRS

[Declaration of Conformity](#)

[other](#)

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>



Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

Cax online generator:
<http://www.siemens.com/cax>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<http://support.automation.siemens.com/WW/view/en/3TC5217-0AM4/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3TC5217-0AM4



last change:

Jul 7, 2014