## SIEMENS

## Product data sheet

## 3TH4391-0AL2



EN 50 011 EN 50 011 9NO+1NC, SCREW TERMINALS AC OPERATION AC 50/60HZ 230V

Size of the contactor		0				
Ambient temperature	_					
during operating	°C	-25 +55				
Protection class IP / on the front		IP20				
Reference code						
<ul> <li>according to DIN 40719 extended according to IEC 204-2 / according to IEC 750</li> </ul>		К				
according to DIN EN 61346-2		к				
according to DIN EN 81346-2		к				
Control circuit:						
Voltage type / of control feed voltage		AC				
Control supply voltage frequency						
• 1	Hz	50				
•2	Hz	60				
Control supply voltage						
• at 50 Hz / at AC / rated value	V	230				
• at 60 Hz / at AC / rated value	V	230				

Operating current /	at AC-15				
• at 230 V / rated	value		А	10	
• at 400 V / rated value		А	6		
Identification number and letter for switching elements			91 E		
Number of NC contacts / for auxiliary contacts			1		
lagging switching			0		
delayed switching			0		
asynchronous switching			0		
Number of NO contacts / for auxiliary contacts			9		
leading switching				0	
delayed switching				0	
asynchronous switching				0	
Number of changeover contacts / for auxiliary contacts				0	
Connection type:	:				
Design of the electrical connection / for auxiliary and control current circuit				screw-type terminals	
Mechanical desig	ın:				
Mounting type			screw and snap-on mounting onto 35 mm standard mounting rail according to DIN EN 50022		
Width			mm	55	
Height			mm	78	
Depth			mm	102	
Certificates/appro	ovals:				
General Product A	Approval				Functional Safety / Safety of Machinery
	(SA)	EHE			Type Examination
Test Certificates					
<u>other</u>	Special Test Certificate	<u>Type Test</u> Certificates/Test Report			
Shipping Approva	al				
	GL	Lloyd's Register LRS	RMRS		
other					
Declaration of Conformity	other	Environmental Confirmations			
Safety:					

Protection against electrical shock		finger-safe
B10 value / with high demand rate		
according to SN 31920		1,000,000
• note		With 0.3 x le
T1 value / for proof test interval or service life / according to IEC 61508	а	20

## Further information:


Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/industrial-controls/catalogs


Industry Mall (Online ordering system) http://www.siemens.com/industrial-controls/mall

Cax online generator http://www.siemens.com/cax

Service&Support (Manuals, Certificates, Characteristics, FAQs,...) http://support.automation.siemens.com/WW/view/en/3TH4391-0AL2/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax\_en.aspx?mlfb=3TH4391-0AL2





last change:

Jun 16, 2014