

SAFETY ISOLATING TRANSFORMER;
 PHASES:1;
 PN(KVA):0,025;
 UPRI(V):230+/-5%;
 USEC(V):24;
 ISEC(A):1,04;
 F(HZ):50...60;
 VECTOR GR./SHIELD WNG.:II0 /0;
 TA/ISOKL:40 /B;
 IP00;
 TYPE OF TERMINALS:CAGE-CLAMP;
 INSTALLATION:SCREW;
 EN 61558-2-6 >UL/CSA-RECOGNIZED< >SAFETY
 ISOLATING TRANSFORMER<

General technical details:

Product designation		transformer SITAS
product brand name		SIDAC
Operating apparent output / rated value	V·A	25
Efficiency		0.74
Manner of switching for transformers		li0
Verification of suitability		CE / cRUus
Product function		
<ul style="list-style-type: none"> • temperature surveillance 		No
<ul style="list-style-type: none"> • isolation control 		No
<ul style="list-style-type: none"> • short circuit and overload protection 		No
Number of the protective coils		0
Relative short-circuit voltage	%	17.6

Inputs:

Phase number / of the inputs		1
Input voltage		
<ul style="list-style-type: none"> • _1 / rated value 	V	242
<ul style="list-style-type: none"> • _2 / rated value 	V	230
<ul style="list-style-type: none"> • _3 / rated value 	V	218
Electrical input frequency		
<ul style="list-style-type: none"> • minimum 	Hz	50
<ul style="list-style-type: none"> • maximum 	Hz	60

Outputs:

Phase number / of the outputs		1
Output voltage • _1 / rated value	V	24
Electrical output frequency • maximum • minimum	Hz Hz	60 50

Ambient conditions:

Thermal class / according to IEC 60085		B
Ambient temperature / rated value	°C	40
Protection class IP		IP00

Mechanical design:

Design of the electrical connection • secondary side / for main current circuit • at the input / for main current circuit		Cage-Clamp terminals Cage Clamp terminals
Mounting type		screws
Construction form of the iron core		EI 60/20
Width	m	0.062
Height	m	0.079
Depth	m	0.078

Certificates/approvals:

General Product Approval

Shipping Approval

other



GOST



PRS

[other](#)

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

CAX-Online-Generator

<http://www.siemens.com/cax>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WWW/view/en/4AM2342-4TN00-0EA1/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=4AM2342-4TN00-0EA1

last change:

Dec 5, 2011