

EASYCRIMP**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



After stripping the insulation, a suitable contact or wire end ferrule can be crimped onto the end of the cable. Crimping forms a secure connection between conductor and contact and has largely replaced soldering. Crimping denotes the creation of a homogeneous, permanent connection between conductor and connecting element. The connection can be made only with high-quality precision tools. The result is a secure and reliable connection both in mechanical and electrical terms. Weidmüller offers a wide range of mechanical crimping tools. Integral ratchets with release mechanisms guarantee optimum crimping. Crimped connections made with Weidmüller tools comply with international standards and regulations.

General ordering data

Version	
Order No.	2000360000
Type	EASYCRIMP
GTIN (EAN)	4050118394528
Qty.	1 pc(s).

EASYCRIMP**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Technical data****Dimensions and weights**

Depth	125 mm	Depth (inches)	4.921 inch
Height	255 mm	Height (inches)	10.039 inch
Net weight	5,000 g	Weight	5 kg
Width	230 mm	Width (inches)	9.055 inch

tool data crimping

Drive	mechanical	Fixing max.	68 mm
Fixing min.	35 mm	Grip height min.	12 mm
Grip width max.	22 mm	Grip width max.	28 mm
Lever travel max.	230 mm	Lever travel min.	140 mm

Classifications

ETIM 6.0	EC000168	ETIM 7.0	EC000168
ECLASS 9.0	21-04-38-11	ECLASS 9.1	21-04-38-11
ECLASS 10.0	21-04-38-11	ECLASS 11.0	21-04-38-11

EASYCRIMP

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

