

AIE MULTI-STRIPAX PV

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com



- For flexible and solid conductors with special insulating materials
- High-quality stripping for industrial applications (complies with aircraft industry requirements)
- Specially shaped blades enable stripping of special types of insulation and conductor configurations
- Stripping length adjustable via end stop
- Very versatile thanks to interchangeable stripping units
- Stripping results reproduced accurately over and over again
- No damage to the conductor
- A long-lasting, reliable tool thanks to its sturdy design
- Integrated cutting function

General ordering data

Version	Insert	
Order No.	<u>1204280000</u>	
Туре	AIE MULTI-STRIPAX PV	
GTIN (EAN)	4032248987030	
Qty.	1 pc(s).	



AIE MULTI-STRIPAX PV

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Dimensions and weights

Depth	30 mm	Depth (inches)	1.181 inch
Height	3 mm	Height (inches)	0.118 inch
Net weight	74 g	Width	41 mm
Width (inches)	1.614 inch		

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1

Technical data

Description of article Stripping mechanism for photovoltaic cables and

similar earthing cables and short-circuit-proof cables: 2.5 to 6 mm²

Stripping tools

Conductor cross-section, max.	6 mm ²	Conductor cross-section, min.	2.5 mm ²	
Stripping length, min.	2 mm	Workable cable	PV cable	

Classifications

ETIM 6.0	EC001509	ETIM 7.0	EC001509
ECLASS 9.0	21-04-92-37	ECLASS 9.1	21-01-90-90
ECLASS 10.0	21-04-92-37	ECLASS 11.0	21-04-48-91