

**VSTN/-150****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Version	cable lug, terminal end, 150 mm <sup>2</sup> , 150 mm <sup>2</sup>
Order No.	<a href="#">1497380000</a>
Type	VSTN/-150
GTIN (EAN)	4050118306958
Qty.	25 pc(s).

Creation date March 24, 2021 2:41:37 AM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

**VSTN/-150****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

Net weight	87.08 g	Weight	8.68 g
------------	---------	--------	--------

**Connectors**

Conductor cross-section	150 mm <sup>2</sup>	Conductor cross-section, max.	150 mm <sup>2</sup>
Connection length (l)	70 mm	Inside diameter of shaft (d1)	16.8 mm
Insulation	not available	Outside diameter of shaft (d3)	21.3 mm

**Classifications**

ETIM 6.0	EC001059	ETIM 7.0	EC001059
ECLASS 9.0	27-40-02-12	ECLASS 9.1	27-40-02-12
ECLASS 10.0	27-40-02-12	ECLASS 11.0	27-40-02-12

**Approvals**

ROHS	Conform
------	---------

**Data sheet**

**VSTN/-150**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

