
PRODUCT-DETAILS

DX25

DX25 Terminal Block

General Information

Extended Product Type	DX25
Product ID	1SAZ201307R0002
EAN	4013614237928
Catalog Description	DX25 Terminal Block
Long Description	DX25 Terminal Block

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85369010

Popular Downloads

Data Sheet, Technical Information	1SBC100173C0201
Dimension Diagram	1SAZ200403F0001

Dimensions

Product Net Width	39 mm
Product Net Height	27 mm
Product Net Depth / Length	29 mm

Product Net Weight	0.03 kg
--------------------	---------

Technical

Rated Insulation Voltage (U _i)	690 V
Number of Poles	3
Pollution Degree	3
Connecting Capacity Main Circuit	Flexible with Ferrule 1x 1.5 ... 6 mm ² Flexible 1x 1.5 ... 6 mm ² Rigid 1x 1.5 ... 10 mm ²
Tightening Torque	Main Circuit 2.5 ... 3.2 N·m
Recommended Screw Driver	Pozidriv 2
Suitable For	TA25DU DB25
Standards	UL 60947-1 UL 60947-4-1

Technical UL/CSA

Connecting Capacity Main Circuit UL/CSA	Flexible 1x 10-8 AWG Stranded 1x 10-8 AWG
Tightening Torque UL/CSA	Main Circuit 20 in·lb

Environmental

Ambient Air Temperature	Operation -25 ... +55 °C Storage -40 ... +70 °C
RoHS Status	No declaration needed

Certificates and Declarations (Document Number)

cUL Certificate	cUL_E48139
Declaration of Conformity - CE	No declaration needed
GOST Certificate	1SAA941000-2704
RoHS Information	No declaration needed
UL Certificate	UL_E48139

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	98 mm
Package Level 1 Height	82 mm
Package Level 1 Depth / Length	47 mm
Package Level 1 Gross Weight	0.32 kg
Package Level 1 EAN	4013614555510

Classifications

ETIM 4	EC002498 - Accessories for low-voltage switch technology
ETIM 5	EC002498 - Accessories for low-voltage switch technology
ETIM 6	EC002498 - Accessories for low-voltage switch technology

ETIM 7

EC002498 - Accessories for low-voltage switch technology

eClass

V11.0 : 27371392

Categories

Low Voltage Products and Systems → Control Products → Contactors → Thermal Overload Relays Accessories