

PRODUCT-DETAILS

# FCP-S4/200 500V-7h

## Ind. P&S#FCP-S4/200 500V-7h



### General Information

Extended Product Type	FCP-S4/200 500V-7h
Product ID	2CMA103341R1000
EAN	7392696033411
Catalog Description	Ind. P&S#FCP-S4/200 500V-7h
Long Description	Panel mounted socket outlets, 3P+E, IP67, 200 A, 500 V, The compact C-Line connectors have a robust plastic housing and are perfect for applications with limited space conditions as well as for certain industries (chemistry, food industry).

### Ordering

EAN	7392696033411
Country of Origin	Switzerland (CH)
Minimum Order Quantity	1 piece

### Dimensions

Product Net Width	190 mm
Product Net Height	185 mm
Product Net Weight	3.2 kg

---

**Container Information**


---

Package Level 1 Width	407 mm
Package Level 1 Depth / Length	407 mm
Package Level 1 Height	187 mm
Package Level 1 Gross Weight	3.2 kg
Package Level 1 EAN	7392696033411
Package Level 1 Units	box 1 piece

---



---

**Certificates and Declarations (Document Number)**


---

Declaration of Conformity - CE	NoDecNee
Environmental Information	2CMC000074M0000

---



---

**Additional Information**


---

Additional Information	3P+E
Ambient Temperature	-40 ... 100 °C
Color	Black
Connection Type	Screw
Degree of Protection	IP67
Frequency (f)	50 Hz 60 Hz
Function	Outlet
Invoice Description	Ind. P&S#FCP-S4/200 500V-7h
Mounting Holes	140x120
Number of Poles	4
Order Multiple	1 piece
Product Main Type	FCP
Product Name	Panel mounted socket
Protection Type	Splashproof
Rated Current ( $I_n$ )	200 A
Rated Frequency (f)	50...60 Hz
Rated Voltage ( $U_r$ )	480 ... 500 V
Standards	IEC 60309-1, -2
Sub-Function	C-line
Suitable for Product Class	IEC Industrial Plugs and Sockets
Instructions and Manuals	2CMC700014C0016
RAL Number	RAL 7001 - Silver Grey

---



---

**Classifications**


---

eClass	27440504
UNSPSC	39120000

---

---

## Categories

---

Low Voltage Products and Systems → Industrial Plugs and Sockets → High Current Connectors >125A

