

PRODUCT-DETAILS

MT-205B

MT-205B Potentiometer



General Information

Extended Product Type	MT-205B
Product ID	1SFA611410R2056
EAN	7320500376171
Catalog Description	MT-205B Potentiometer
Long Description	Modular Potentiometer - Resistor 5 kOhm - Knob - Black - Non-illuminated - Chrome Plastic Bezel

Ordering

E-Number (Finland)	2315861
EAN	7320500376171
Minimum Order Quantity	1 piece
Customs Tariff Number	85369001

Dimensions

Product Net Width	0.03 m
Product Net Height	0.03 m
Product Net Depth / Length	0.057 m
Product Net Weight	0.036 kg

Container Information

Package Level 1 Units	bag 1 piece
Package Level 1 Width	0.11 m
Package Level 1 Height	0.035 m
Package Level 1 Depth / Length	0.15 m
Package Level 1 Gross Weight	0.036 kg
Package Level 1 EAN	7320500376171

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Actuator Type	Knob
Bezel Material	Chrome Plastic
Color	Black
Connection Type	Screw Clamp
Degree of Protection	Front IP66
Function	Resistor 5 kOhm
Illumination	Non-illuminated
Product Main Type	MT
Product Name	Potentiometer
Product Range	Modular
Product Type	MT
RoHS Date	0635 4
Sub-Function	Complete potentiometer

Certificates and Declarations (Document Number)

cULus Certificate	9AKK107046A9924
Data Sheet, Technical Information	1SFC151007C02__
Declaration of Conformity - CE	2CMT2015-005452
DNV GL Certificate	E-14107
Environmental Information	1SFC151010D0201
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005452

Classifications

ETIM 4	EC002024 - Accessories for control circuit devices
ETIM 5	EC001027 - Potentiometer for control circuit devices
ETIM 6	EC001027 - Potentiometer for control circuit devices
ETIM 7	EC001027 - Potentiometer for control circuit devices
Object Classification Code	S
UNSPSC	39121500
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.0 : 27371227

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Plastic Range

